

SECOND AMENDED

NO. 71778

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 18 2004

Returned to applicant for correction NOV 08 2004

Corrected application filed DEC 20 2004

Map filed DEC 20 2004

The applicant **Coy and Nancy Sanders, husband & wife**, hereby make(s) application for permission to change the **Point of diversion, Place of use of a portion of water** heretofore appropriated under **Permit 54653**

1. The source of water is **underground**
2. The amount of water to be changed **0.0117 c.f.s., not to exceed 2.24 ac ft.**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Quasi-Municipal**
5. The water is to be diverted at the following point **NW¼ NW¼, Section 6, T.12N., R.20E., M.D.B.&M., or at a point from which the NW Corner of said Section 6 bears N. 35° 45' 20" W., a distance of 1289.77 ft.**
6. The existing permitted point of diversion is located within **NE¼ SW¼, Section 29, T.14N., R.20E., M.D.B.&M., or at a point from which the SE Corner of said Section 29 bears S. 45° 17' 30" E., a distance of 3765 feet.**
7. Proposed place of use **Portions of the NW¼ NW¼, Section 6, T.12N., R.20E. M.D.B.&M.**
8. Existing place of use **NW¼, N½ SW¼, Section 28; NE¼, N½ SE¼, SE¼ SE¼, Section 29; all in T.14N., R.20E., M.D.B.&M.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled and cased well equipped with a motor, pump, meter and distribution system.**
12. Estimated cost of works **\$100,000.00**
13. Estimated time required to construct works **three (3) years**
14. Estimated time required to complete the application of water to beneficial use **five (5) years**
15. Remarks: **This application is being filed to provide a water supply for two trailer residences, indoor & outdoor arenas and stables within the proposed place of use. Refer to map(s) on file under Permit 54653 for the existing point of diversion and place of use.**

By **Gregory M. Bilyeu**
s/ **Gregory M Bilyeu**
500 Damonte Ranch Pkwy., #1056
Reno, NV 89521

Compared aem/sam h/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 54653 is issued subject to the terms and conditions imposed in said Permit 54653 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0117 cubic feet per second, but not to exceed 2.24 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

November 3, 2007

Proof of completion of work shall be filed on or before:

December 3, 2007

Water must be placed to beneficial use on or before:

November 3, 2010

Proof of the application of water to beneficial use shall be filed on or before:

December 3, 2010

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of November A.D. 2005


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____

